



STRUKOVNI SINDIKAT DOKTORA MEDICINE REPUBLIKE SRPSKE
CESI-ČLAN

COVID-19 ----prve smjernice

COVID-19 je bolest izazvana novim coronavirusom SARS- CoV-2, koji ranije nije bio indentifikovan kod ljudi.

Način prenošenja je lak, bliskim kontaktom sa inficiranom osobom uključujući kapljični, fekooralni put I aerosol.

Postoje neslaganja o dužini inkubacije, od 2 do 27 dana, kao I da li postoje asimptomatski prenosioci bolesti.

Klinička slika:

U većini slučajeva COVID-19 izaziva blage simptome uključujući curenje nosa, upalu grla, kašalj I groznicu. Ali može biti ozbiljna za neke ljude dovodeći do pneumonije I otežanog disanja. U nekim slučajevima može dovesti do smrti.

Takođe se mogu javiti I smetnje GIT u vidu mučnina I proliva.

Infekcija se dokazuje uzimanjem uzorka brisa grla I nosa na viruse, anusa na viruse I uzorkovanjem sekreta donjeg respiratornog trakta. Testiranje se radi u referentnim laboratorijama.

Izbjegavajte sve procedure koje vode stvaranju aerosola!!!

Zvanična terapija ne postoji. Liječenje je simptomatsko.

Način prevencije je prvenstveno značajan.

Pranje ruku – sapunom I vodom ili sredstvom na bazi alkohola 20 sekundi I to:

-
1. prije no što dodirnete pacijenta.
 2. prije bilo koje procedure,
 3. posle kontakta sa bilo kojom tjelesnom tečnošću,
 4. posle dodirivanja pacijenta,
 5. posle dodirivanja pacijentove okoline.

Lična zaštita—kod sumnjivih slučajeva preporučuje se upotreba:

1. maske za lice N95/FFP3 ,
2. rukavica za jednokratnu upotrebu,
3. dugi jednokratni mantili
4. zaštitne naočare.

Nakon upotrebe ličnu zaštitu odmah odložiti u infektivni otpad I oprati ruke.

Ne dodirujete oči, usta i nos sa rukavicama ili prljavim rukama, dok propisno ne operete ruke.

Preporuka je da se trijažira na ulazu u zdravstvenu ustanovu I da se posebno pregledaju sumnjivi pacijenti. Pacijent koji kašlje ili ima sekreciju iz nosa treba da nosi običnu hiruršku masku kad dođe u zdravstvenu ustanovu. Mora biti bar 1 metar udaljenosti između pacijenata.

Molimo kolege I sve zdravstvene radnike da pokažu veliko strpljenje I empatiju u radu sa pacijentima.

“Zdravstveni radnici su heroji na frontovima borbe proti COVID -19” WHO

Zato vas drage kolege molimo da poštujete pravila I preporuke I da stalno provodite samokontrolu svog zdravstvenog stanja ako dođete u kontakt sa sumnjivim pacijentom I u slučaju potrebe da se javite nadležnom infektologu.

Stručna služba SSDM RS




World Health Organization
Western Pacific Region

iris.
Institutional Repository
for Information Sharing

Search WPRO IRIS

WPRO IRIS » Regional Office for the Western Pacific » Information products

The COVID-19 risk communication package for healthcare facilities



View/Open

COVID-19-022020.pdf
(3.487Mb)

Downloads: 1,202

Page views

2,211

Share



Author

World Health Organization. Regional Office for the Western Pacific

Date

2020

Publisher